I

5

or stereoisomers or pharmaceutically acceptable salts, esters, amides or prodrugs thereof, wherein:

A is selected from N, Nalkyl, NCH₂, N(alkyl)CH₂, CH₂N, CH₂N(alkyl),NO;

10

B is selected from H, (C₃₋₂₀)alky, cycloalkyl, heteroalkyl, cycloalkylalkyl, heteroalkylalkyl, aryl, arylalkyl, heterocycle, heterocycloalkyl, each optionally substituted with R1 and R2;

D is selected from H, (C_{3-20}) alkyl, cycloalkyl, heteroalkyl, cycloalkylalkyl, heteroalkylalkyl, arylalkyl, heterocycle, heterocycloalkyl, each optionally substituted with R₁ and R₂;

15

E is absent or selected from O, S, NH;

F is selected from N, NCH2, CH2N;

G is absent or selected from alkyl, alkyl interrupted by one or more heteroatoms, cycloalkyl, cycloalkyl interrupted by one or more heteroatoms;

20

J is absent or selected from aryl or heterocycle each optionally substituted with R₁ and R₂;

20

25

30

K is absent or selected from an alkyl, alkyl interrupted by one or more heteroatoms, cycloalkyl interrupted by one or more heteroatoms, cycloalkylalkyl interrupted by one or more heteroatoms, each optionally substituted with R₁ and R₂;

L is selected from H, chlorine, fluorine, bromine, iodine, OH, O(alkyl), amine, alkyl, fluoroalkyl, amide, NO2, SH, S(O)n(alkyl), SO3H, SO3alkyl, aldehyde, ketone, acid, ester, urea, Oalkylamide, Oalkylaster, Oalkylacid, Nalkylacid, alkylamine, alkylamide, alkylketone, alkylacid, alkylester, alkylurea, Nalkylamide, Nalkylester, NC(=O)alkyl, NC(=O)aryl, NC(=O)cycloalkyl, NC(=O)cycloalkylalkyl, NC(=O) alkylaryl, R₁, R₂, nitrile;

R₁ is selected from H, amine, alkylamine, amide, C(=NH)NHNH₂, alkylC(=NH)NHNH2, C(=NH)NHOH, alkylC(=NH)NHOH, NHC(=NH)NH₂, alkylNHC(=NH)NH₂, C(=S)NH₂, alkylC(=S)NH2, C(=NH)alkyl, alkylC(=NH)alkyl, $C(=NR_3)N(R_4)(R_5)$, alky $IC(=NR_3)N(R_4)(R_5)$;

R₂ is selected from H, chlorine, fluorine, bromine, iodine, OH, Oalkyl, amine, alkylaldehyde, alkylamide, alkylester, alkylketone, alkylacid, Oalkylamide, Oalkylacid, Oalkylester, aninealkylacid, aminealkylamide, aminealkylester, NC(=O)alkyl, NC(=O)aryl, NC(=O)cycloalkyl, NC(=O)alkylaryl, alkylamine, amide, aldehyde, ester, ketone, NO₂, SH, \S (O)_n(C₁₋₁₀alkyl), SO₃H, SO3alkyl, CHO, acid, alkyl, C(=NH)alkyl, C(=NH)NHNH2, alkylC(=NH)NHNH2, C(=NH)NHOH, alkylC(=NH)NHOH, NHC(=NH)NH₂, alkylNHC(=NH)NH₂, $C(=S)NH_2$, alkylC(=S)NH₂, alkylC(=NH)alkyl, C(=NR₃ $\N(R_4)(R_5)$, alkylC(=NR3)N(R4)(R5);

R₃, R₄, and R₅ are a hydrogen atom, alkyl group having to 4 carbon atoms optionally interrupted by a heteroatom, or Raand R5 are bonded to form $-(CH_2)_p-W-(CH_2)_q$, wherein p and q are an

Syl

integer of 2 or 3, a certain position on the methylene chain is unsubstituted or substituted by an alkyl group having 1 to 4 carbon atoms, W is a direct bond, $-CH_2$ -, -O-, $-N(R_6)$ -, or $-S(O)_r$ - wherein R_6 is H or alkyl, and r is 0 or 1 or 2;

5

n is selected from 0, 1, 2

 X_1 is C or N;

X₂ is C or N;

X₃ is C or N;

X₄ is C or N; and

10

--- represents an optional additional bond when Ais N.

2. A compound according to Claim 1 wherein the compounds is according to Formula II

II

or stereoisomers or pharmaceutically acceptable salts, esters, amides, or prodrugs thereof, wherein A, B, E, G, J, K, and L are as defined above.

15

Ш

or stereoisomers or pharmaceutically acceptable salts, esters, amides, or prodrugs thereof, wherein A is N or Nalkyl, and B, G, J, K, L, and --- are as defined above.

5

4.

A compound according to Claim 1 wherein the compound is according to Formula IV

IV

10

or stereoisomers or pharmaceutically acceptable salts, esters, amides, or prodrugs thereof, wherein G, J, KL, R_1 , and --- are as defined above.

15

20

A compound according to Formula V

or stereoisomers or pharmaceutically acceptable salts, esters, amides, or prodrugs thereof, wherein X, Y, R₇, R₈, and --- are as follows:

V

5 X is selected from (CH₂)₅,

 $(CH_2)_4$,

 $(CH_2)_6$,

 $CH_2C(=0)NHCH_2CH_2$

 $CH_2CH_2NHC(=O)OH_2$

 $(CH_2)_2NH(CH_2)_2$,

 $(CH_2)_2O(CH_2)_2$,

 C_6H_4 ,

 $CH_2C_6H_4$,

 $C_6H_4CH_2$,

 C_6H_{10} ,

 $CH_2C_6H_{10}$

 $C_6H_{10}CH_2$,

C₅H₈,

 $CH_2C_5H_8$,

 $C_5H_8CH_2$, and

CH₂CH=CHCH₂CH₂;

Y is selected from 2,6-dimethylpiperidinyl, piperidinyl,

	2,2,6,6-tetramethyl-piperidinyl-4-one,
\	(2-carboxy)piperidinyl,
\	(3-carboxy)piperidinyl,
	(4-carboxy)piperidinyl,
5	§,5-dimethylpiperidinyl,
	(4thydroxy)piperidinyl,
	(2-imino)piperidinyl,
	piperidin-4-one-yl,
•	(2-dimethylaminomethyl)-piperidinyl,
10	(4-dimethylamino)-piperidinyl,
	(4-sulphon loxy)-piperidinyl,
	(2-phenyl)piperidinyl,
	2,5-dimethylpyrrolidinyl,
	pyrrolidinyl, W
15	(2-carboxy)pyrrolldinyl,
	(3-N-acetyl-N-methyl)pyrrolidinyl,
	(3-amino)pyrrolidinyl,
	(2,5-bis-methoxymethyl)-pyrrolidinyl,
	2-hydroxymethyl-pyrrolidinyl,
20	2-hydroxymethyl-5-methyl-pyrrolidinyl,
	diisopropylamino,
	dimethylamino,
	diethylamino,
	methylamino,
25	1-methyl-4,5-dihydro-1H-imidazol-2-yl,
	2,5-dimethyl-1 <i>H</i> -1-imidazolyl,
	morpholinyl,
	2,6-dimethylmorpholinyl,
	piperazinyl,
30	2,6-dimethylpiperazinyl,
	lH-pyrazolyl,
	tetrahydro-1H-pyrazolyl, and
	2,5-dimethyltetrahydro-1 <i>H</i> -1-pyrazolyl;

	Rais selected from (3-amidino)phenyl,
	(3-hydroxy)phenyl,
	[3-hydroxylamino(imino)methyl]-phenyl,
	[3-hydrazino(imino)methyl]-phenyl,
5	(3\aminomethyl)phenyl,
	(3-amino)phenyl,
	(3-methylamino)phenyl,
	(3-dimethylamino)phenyl,
	(5-amidino-2-hydroxy)phenyl,
10	(1-amidino)piperid-3-yl,
	(1-amidino)pyrrolid-3-yl,
	(5-amidino)thien-2-yl,
·	(5-amidino)furar(2-yl,
	(5-amidino)-1,3 oxazol-2-yl,
15	(2-amidino)-1,3-oxazol-5-yl,
	1H-pyrazol-5-yl,
	tetrahydro-1H-pyrazol-\(\frac{3}{3}\)-yl,
	(1-amidino)tetrahydro-1H-pyrazol-3-yl,
	(2-amidino)-1H-imidazol-4-yl,
20	(2-amino)-1H-imidazol-4-yl
	(5-amidino)-1H-imidazol-2-yl
	(5-amino)-1H-imidazol-2-yl,
	pyridin-3-yl,
	(4-amino)pyridin-3-yl,
25	(4-dimethylamino)pyridin-3-yl,
	(6-amino)pyridin-2-yl,
	(6-amidino)pyridin-2-yl,
	(2-amino)pyridin-4-yl,
	(2-amidino)pyridin-4-yl,
30	(2-amidino)pyrimid-4-yl,
	(2-amino)pyrimidin-4-yl,
	(4-amidino)pyrimid-2-yl,

	(4-amino)pyrimidin-2-yl,
	(6-amidino)pyrazin-2-yl,
	(d-amino)pyrazin-2-yl,
	(4-amidino)-1,3,5-triazin-2-yl,
5	(4-amino)-1,3,5-triazin-2-yl,
	(3-amidino)-1,2,4-triazin-5-yl,
	(3-amino)-1,2,4-triazin-5-yl,
	(3-amidino)benzyl,
	(3-amino)benzyl,
10	(3-aminomethyl)benzyl,
	(1-amidino)hiperid-3-ylmethyl,
	(1-amidino)pyrrolid-3-ylmethyl,
	(5-amidino)thien 2-ylmethyl,
	(5-amidino)furan 2-ylmethyl,
15	(5-amidino)oxazol 2-ylmethyl,
	(2-amidino)imidazol-5-ylmethyl,
	(5-amidino)imidazol-2-ylmethyl,
	(6-amidino)pyridin-2-ylmethyl,
	(6-amino)pyridin-2-ylmethyl,
20	(2-amidino)pyrimidin-4-ylmethyl,
	(2-amino)pyrimidin-4-ylmethyl,
	(4-amidino)pyrimidin-2-ylmethyl,
	(4-amino)pyrimidin-2-ylmethyl
	(6-amidino)pyrazin-2-ylmethyl,
25	(6-amino)pyrazin-2-ylmethyl,
	3-aminocyclohexyl,
	3-amidinocyclohexyl,
	3-aminocyclohexylmethyl,
	3-amidinocyclohexylmethyl,
30	3-aminocyclopentyl,
	3-amidinocyclopentyl,
	3-aminocyclopentylmethyl, and
	3-amidinocyclopentylmethyl; and

\	Cl,
	\ F,
	\SH,
5	SMe,
	Ch3,
	CH ₃
	CO ₂ H,
	CO ₂ Me
10	CN, \
	$C(=NH)NH_2$,
	C(=NH)NHQH,
	C(=NH)NHNH2
	$C(=O)NH_2,$
15	CH_2OH ,
	CH_2NH_2 ,
	NO_2 ,
	ОН,
	OMe,
20	OCH_2Ph ,
	OCH_2CO_2H ,
	$O(CH_2)_2CO_2H$,
	$O(CH_2)_3CO_2H$,
	NHCH ₂ CO ₂ H,
25	NH(CH ₂) ₂ CO ₂ H,
	NH(CH ₂) ₃ CO ₂ H,
	OCH ₂ CH ₂ OH,
	OCH ₂ (1H-tetrazol-5-yl),

NH₂,

Re is selected from H,

NHButyl, NMe₂, NHPh, NHCH₂Ph, 5 NAC(=O)Me, NHC(=O)c-Hexyl, NHC(=0)CH₂c-Hexyl, NHC(=0)PhNHC(=O)CH₂Ph, 10 $NHS(=O)_2Me_{,}$ NHS(=O)₂c-Hexyl, NHS(=O)₂CH $^{\lambda}_{\lambda}$ c-Hexyl, NHS(=O)2Ph, and NHS(=O)₂CH₂PH 15 6.

- A compound of Claim 5 wherein X is (CH₂)₅.
 - 7. A compound of Claim 5 wherein Y is 2,5-dimethylpyrrolidinyl.
 - A compound of Claim 5 wherein Y ix 2,6-dimethylpiperidinyl. 8.
 - 9. A compound of Claim 5 wherein R7 is (\(\frac{5}{2} \)-amidino-2-hydroxy).
 - 10. A compound of Claim 5 wherein Rg is H.
- 20 11. A compound of Claim 5 wherein X is (CH₂)₅, 2,6-dimethylpiperidinyl, and R₈ is H.
 - 12. A compound which is 3-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3oxo-3,4-dihydro-2-quinoxalinyl)benzenecarboximidamide;

10

15

20

25

30

1-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-(3hydroxyphenyl)-2(1*H*)-quinoxalinone; 3-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3oxo-3,4-dihydro-2-quinoxalinyl)-N-hydroxybenzenecarboximidamide; 3-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3oxo-3,4-dihydro-2-quinoxalinyl)benzenecarboximidohydrazide; $\sim 3-[3-(Aminomethyl)phenyl]-1-5-[(2R,6S)-2,6-dimethyltetrahydro-$ 1(2H)-pyridiny||pentyl-2(1H)-quinoxalinone; 3-(3-Aminophenyl)-1-5-[(2R,6S)-2,6-dimethyltetrahydro-1(2H)pyridinyl]pentyl-2(1H)-quinoxalinone; 1-5-[(2R,6S),2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-[3-(methylamino)phenyl -2(1H)-quinoxalinone; 3-[3-(Dimethylamino)phenyl]-1-5-[(2R,6S)-2,6dimethyltetrahydro-1(2H) pridinyl]pentyl-2(1H)-quinoxalinone; 3-(4-5-[(2R,6S)-2,6] Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3oxo-3,4-dihydro-2-quinoxalinyl)-4-hydroxybenzenecarboximidamide; 3-(4-5-[(2R,6S)-2,6-Diracthyltetrahydro-1(2H)-pyridinyl]pentyl-3oxo-3,4-dihydro-2-quinoxalinyl)tetrahydro-1(2H)pyridinecarboximidamide; 3-(4-5-[(2R,6S)-2,6-Dimethy]tetrahydro-1(2H)-pyridinyl]pentyl-3oxo-3,4-dihydro-2-quinoxalinyl)-1-pytrolidinecarboximidamide; 5-(4-5-[(2R,6S)-2,6-Dimethyltetraphydro-1(2H)-pyridinyl]pentyl-3oxo-3,4-dihydro-2-quinoxalinyl)-2-thiophenecarboximidamide; 5-(4-5-[(2R,6S)-2,6-Dimethyltetrah)dro-1(2H)-pyridinyl]pentyl-3oxo-3,4-dihydro-2-quinoxalinyl)-2-furancarboximidamide; 2-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro (1(2H)-pyridinyl)pentyl-3oxo-3,4-dihydro-2-quinoxalinyl)-1,3-oxazole-5-carboximidamide; 5-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3oxo-3,4-dihydro-2-quinoxalinyl)-1,3-oxazole-2-carboximidamide; $1-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-p\xridinyl]$ pentyl-3-(1*H*-pyrazol-3-yl)-2(1*H*)-quinoxalinone; 1-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridhyl]pentyl-3tetrahydro-1*H*-pyrazol-3-yl-2(1*H*)-quinoxalinone;

10

15

20

25

30

3-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3oxo-3\4-dihydro-2-quinoxalinyl)-1-pyrazolidinecarboximidamide; 5-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3oxo-3,4\dihydro-2-quinoxalinyl)-1*H*-imidazole-2-carboximidamide; $3\frac{(2-Amino-1}{H-imidazol-5-yl)-1-5-[(2R,6S)-2,6$ dimethyltetrahydro-1(2H)-pyridinyl]pentyl-2(1H)-quinoxalinone; 2-(45-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3oxo-3,4-dihydro-2-quinoxalinyl)-1*H*-imidazole-5-carboximidamide; $3-(5-A\min_{0.1}H-i\min_{0.1}a_{0.1}-1-5-[(2R,6S)-2,6-1]$ dimethyltetrahydro-1(2H)-pyridinyl]pentyl-2(1H)-quinoxalinone; $1-5-[(2R,\delta S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]$ pentyl-3-(3pyridinyl)-2(1*H*)-quinoxalinone; 3-(6-Amino-3 pyridinyl)-1-5-[(2R,6S)-2,6-dimethyltetrahydro-1(2H)-pyridinyl]penty -2(1H)-quinoxalinone; 3-[6-(Dimethylamino)-3-pyridinyl]-1-5-[(2R,6S)-2,6dimethyltetrahydro-1(2H)-pyridinyl]pentyl-2(1H)-quinoxalinone; 3-(6-Amino-2-pyridinyl)-1-5-[(2R,6S)-2,6-dimethyltetrahydro-1(2H)-pyridinyl]pentyl-2(1H)-quinoxalinone; 6-(4-5-[(2R,6S)-2,6-D]methyltetrahydro-1(2H)-pyridinyl]pentyl-3oxo-3,4-dihydro-2-quinoxalinyl)-2-pyridinecarboximidamide; 3-(2-Amino-4-pyridinyl)-1-5-[(2R,6S)-2,6-dimethyltetrahydro-1(2H)-pyridinyl]pentyl-2(1H)-quinoxalinone; 4-(4-5-[(2R,6S)-2,6-Dimethy]tetrahydro-1(2H)-pyridinyl]pentyl-3oxo-3,4-dihydro-2-quinoxalinyl)-2-pyhidinecarboximidamide; 4-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3oxo-3,4-dihydro-2-quinoxalinyl)-2-pyrimidinecarboximidamide; 3-(2-Amino-4-pyrimidinyl)-1-5-[(2R,6S)-2,6-dimethyltetrahydro-1(2H)-pyridinyl]pentyl-2(1H)-quinoxalinone; 2-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3oxo-3,4-dihydro-2-quinoxalinyl)-4-pyrimidinecarboximidamide; 3-(4-Amino-2-pyrimidinyl)-1-5-[(2R,6S)-2,6-dimethyltetrahydro-1(2H)-pyridinyl]pentyl-2(1H)-quinoxalinone;

6-4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-

	carboximidamide;
	oxo-3,4-dihydro-2-quinoxalinyl)methyl]-1H-imidazole-2-
30	5-[(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
	oxo-3,4-dihydro-2-quinoxalinyl)methyl]-1,3-oxazole-5-carboximidamide;
	2-[(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
	oxo-3,4-dihydro-2-quinoxalinyl)methyl]-2-furançarboximidamide;
	5-[$(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]$ pentyl-3-
25	oxo-3,4-dihydro-2-quinoxalinyl)methyl]-2-thiophenecarboximidamide;
	5-[$(4-5-[(2R,6S)-2,6-Dimethyltetrah)dro-1(2H)-pyridinyl]pentyl-3-$
	oxo-3,4-dihydro-2-quinoxalinyl)methyl]-1\pyrrolidinecarboximidamide;
	3-[(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
	pyridinecarboximidamide;
20	oxo-3,4-dihydro-2-quinoxalinyl)methyl]tetrahydro-1(2H)-
	3-[(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
	1(2H)-pyridinyl]pentyl-2(1H)-quin xalinone;
	3-[3-(Aminomethyl)benzyl]-1-5-[(2R,6S)-2,6-dimethyltetrahydro-
	pyridinyl]pentyl-2(1H)-quinoxallinone;
15	3-(3-Aminobenzyl)-1-5+(2R,6S)-2,6-dimethyltetrahydro-1(2H)-
	oxo-3,4-dihydro-2-quinoxalinyl)methyl]benzenecarboximidamide;
	3-[(4-5-[(2R,6S)-2,6]Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3
	dimethyltetrahydro-1(2H)-pyridinyl]pentyl-2(1H)-quinoxalinone;
	3-(3-Amino-1,2,4-triazin-5-yl)-1-5-[(2R,6S)-2,6-
10	oxo-3,4-dihydro-2-quinoxalinyl)-1,2,4-triazine-3-carboximidamide;
	5- $(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]$ pentyl-3-
	dimethyltetrahydro- $(2H)$ -pyridinyl]pentyl-2(1H)-quinoxalinone;
	3-(4-Amino-1,3,5-triazin-2-yl)-1-5-[(2R,6S)-2,6-
	oxo-3,4-dihydro-2-quinoxalinyl)-1,3,5-triazine-2-carboximidamide;
5	4-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
	1(2H)-pyridin l]pentyl-2(1H)-quinoxalinone;
	3-(6-Amino-2-pyrazinyl)-1-5-[(2R,6S)-2,6-dimethyltetrahydro-
	0x0-3,4-uniydro-2-quinoxalinyl)-2-pyrazinecarboximidamide;

	$\sqrt{2-[(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-}$
	oxo-3,4 dihydro-2-quinoxalinyl)methyl]-1 <i>H</i> -imidazole-5-
	carboximidamide;
	6-[(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
5	oxo-3,4-dihydro-2-quinoxalinyl)methyl]-2-pyridinecarboximidamide;
	3-[(6-Amino-2-pyridinyl)methyl]-1-5-[(2R,6S)-2,6-
	dimethyltetrahydro-1(2H)-pyridinyl]pentyl-2(1H)-quinoxalinone;
	4-[(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
	oxo-3,4-dihydro-2-quinoxalinyl)methyl]-2-pyrimidinecarboximidamide;
10	3-[(2-Amino+pyrimidinyl)methyl]-1-5-[(2R,6S)-2,6-
	dimethyltetrahydro-1(2H)-pyridinyl]pentyl-2(1H)-quinoxalinone;
	2-[(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
	oxo-3,4-dihydro-2-quinoxalinyl)methyl]-4-pyrimidinecarboximidamide;
	3-[(4-Amino-2-pyrimidinyl)methyl]-1-5-[(2R,6S)-2,6-
15	dimethyltetrahydro-1(2H)-pyrdinyl]pentyl-2(1H)-quinoxalinone;
	6-[(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
	oxo-3,4-dihydro-2-quinoxalinyl)methyl]-2-pyrazinecarboximidamide;
	3-[(6-Amino-2-pyrazinyl)methyl]-1-5-[(2R,6S)-2,6-
	dimethyltetrahydro- $1(2H)$ -pyridinyl pentyl- $2(1H)$ -quinoxalinone;
20	3-(3-Aminocyclohexyl)-1-5-[(2R,6S)-2,6-dimethyltetrahydro-
	1(2H)-pyridinyl]pentyl-2(1H)-quinoxalinone;
	3-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
	oxo-3,4-dihydro-2-quinoxalinyl)cyclohexanecarboximidamide;
	$3-[(3-Aminocyclohexyl)methyl]-1-5_{7}[(2R,6S)-2,6-$
25	dimethyltetrahydro- $1(2H)$ -pyridinyl]pentyl- $2(1H)$ -quinoxalinone;
	3-[(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
	oxo-3,4-dihydro-2-quinoxalinyl)methyl]cyclohexanecarboximidamide;
	3-(3-Aminocyclopentyl)-1-5-[(2R,6S)-2,6 dimethyltetrahydro-
	1(2H)-pyridinyl]pentyl- $2(1H)$ -quinoxalinone;
30	3-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2R)-pyridinyl]pentyl-3-
	oxo-3,4-dihydro-2-quinoxalinyl)cyclopentanecarboximidamide;
	3-[(3-Aminocyclopentyl)methyl]-1-5-[(2R,6S)-2,6-
	dimethyltetrahydro- $1(2H)$ -pyridinyl]pentyl- $2(1H)$ -quinoxalinone;
	`

	3-[(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
	oxo-3,4-dihydro-2-quinoxalinyl)methyl]cyclopentanecarboximidamide;
	3-(4-4-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]butyl-3-
	oxo-3,4-dihydro-2-quinoxalinyl)benzenecarboximidamide;
5	3-(4-6-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]hexyl-3-
	oxo-3,4-dihydro-2-quinoxalinyl)benzenecarboximidamide;
	2-[3-3-[Amino(imino)methyl]phenyl-2-oxo-1(2H)-quinoxalinyl]-
	N-2-[(2R,6S)-2,6]dimethyltetrahydro-1(2H)-pyridinyl]ethylacetamide;
	3-[3-3-[Amino(imino)methyl]phenyl-2-oxo-1(2H)-quinoxalinyl]-
10	N-[(2R,6S)-2,6-dimethyltetrahydro-1(2H)-pyridinyl]methylpropanamide;
	3-4-[2-(2-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-
	pyridinyl]ethylamino)ethyl]-3-oxo-3,4-dihydro-2-
	quinoxalinylbenzenecarboximidamide;
	3-[4-(2-2-[(2R,6S)-2-6-Dimethyltetrahydro-1(2H)-
15	pyridinyl]ethoxyethyl)-3-oxo-3,4-dihydro-2-
	quinoxalinyl]benzenecarboximidamide;
	3-(4-4-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]phenyl-3-
	oxo-3,4-dihydro-2-quinoxalinyl)benzenecarboximidamide;
	3-(4-4-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]benzyl-3-
20	oxo-3,4-dihydro-2-quinoxalinyl)benzenecarboximidamide;
	3-[4-(4-[(2R,6S)-2,6-Dimethy]]tetrahydro-1(2H)-
	pyridinyl]methylphenyl)-3-oxo-3,4-dihydro-2-
	quinoxalinyl]benzenecarboximidamide;
	3-(4-4-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-
25	pyridinyl]cyclohexyl-3-oxo-3,4-dihydro-2-
	quinoxalinyl)benzenecarboximidamide;
	3-[4-(4-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-
	pyridinyl]cyclohexylmethyl)-3-oxo-3,4-dihydro 2-
	quinoxalinyl]benzenecarboximidamide;
30	3-[4-(4-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-
	pyridinyl]methylcyclohexyl)-3-oxo-3,4-dihydro-2-
	quinoxalinyl]benzenecarboximidamide;

	3-(4-3-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-
	pyridiny]cyclopentyl-3-oxo-3,4-dihydro-2-
	quinoxalinyl)benzenecarboximidamide;
	3-[4-(3-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-
5	pyridinyl]cyclopentylmethyl)-3-oxo-3,4-dihydro-2-
	quinoxalinyl)benzenecarboximidamide;
	3-[4-(3)(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-
	pyridinyl]methylcyclopentyl)-3-oxo-3,4-dihydro-2-
	quinoxalinyl]benzenecarboximidamide,
10	3-(4-(E)-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]-2-
	pentenyl-3-oxo-3,4-dihydro-2-quinoxalinyl)benzenecarboximidamide;
	3-[3-Oxo-4-(5-piperidinopentyl)-3,4-dihydro-2-
	quinoxalinyl]benzenecarboximidamide;
	3-3-Oxo-4-[5-(2,2,6,6-tetramethylpiperidino)pentyl]-3,4-dihydro-
15	2-quinoxalinylbenzenecarboximidamide;
	1-5-[3-3-[Amino(mino)methyl]phenyl-2-oxo-1(2H)-
	quinoxalinyl]pentyl-2-piperidinecarboxylic acid;
	1-5-[3-3-[Amino(imino)methyl]phenyl-2-oxo-1(2H)-
	quinoxalinyl]pentyl-3-piperidinecarboxylic acid;
20	1-5-[3-3-[Amino(imino)methyl]phenyl-2-oxo-1(2H)-
	quinoxalinyl]pentyl-4-piperidinecarboxylic acid;
	3-4-[5-(3,5-Dimethylpiperidind)pentyl]-3-oxo-3,4-dihydro-2-
	quinoxalinylbenzenecarboximidamide;
	3-4-[5-(4-Hydroxypiperidino)pentyl]-3-oxo-3,4-dihydro-2-
25	quinoxalinylbenzenecarboximidamide;
	3-4-[5-(2-Iminopiperidino)pentyl]-3-oxo-3,4-dihydro-2-
	quinoxalinylbenzenecarboximidamide;
	3-3-Oxo-4-[5-(4-oxopiperidino)pentyl]-3,4-dihydro-2-
	quinoxalinylbenzenecarboximidamide;
30	3-[4-(5-2-[(Dimethylamino)methyl]piperidinopentyl)-3-oxo-3,4-
	dihydro-2-quinoxalinyl]benzenecarboximidamide;
	3-(4-5-[4-(Dimethylamino)piperidino]pentyl-3-oxo-3,4-dihydro-2-
	quinoxalinyl)benzenecarboximidamide;
	\

	1-5-[3-3-[Amino(imino)methyl]phenyl-2-oxo-1(2H)-
	quinoxa(inyl)pentyl-4-piperidinesulfonic acid;
	3-3-Oxo-4-[5-(2-phenylpiperidino)pentyl]-3,4-dihydro-2-
	quinoxalinytbenzenecarboximidamide;
5	3-4-[5\(2,5-Dimethyl-1-pyrrolidinyl)pentyl]-3-oxo-3,4-dihydro-2-
	quinoxalinylbenzenecarboximidamide;
	3-3-Oxo-4-[5-(1-pyrrolidinyl)pentyl]-3,4-dihydro-2-
	quinoxalinylbenzenecarboximidamide;
	1-5-[3-3-[Amino(imino)methyl]phenyl-2-oxo-1(2H)-
10	quinoxalinyl]pentyl-2 pyrrolidinecarboxylic acid;
	N-(1-5-[3-3-[Amino(imino)methyl]phenyl-2-oxo-1(2H)-
	quinoxalinyl]pentyltetrahydro-1 <i>H</i> -pyrrol-3-yl)- <i>N</i> -methylacetamide;
	3-4-[5-(3-Amino-lpyrrolidinyl)pentyl]-3-0x0-3,4-dihydro-2-
	quinoxalinylbenzenecarboximidamide;
15	3-(4-5-[2,5-Bis(methoxymethyl)-1-pyrrolidinyl]pentyl-3-oxo-3,4-
	dihydro-2-quinoxalinyl)benzenecarboximidamide;
	3-(4-5-[2-(Hydroxymethyl)-1-pyrrolidinyl]pentyl-3-oxo-3,4-
	dihydro-2-quinoxalinyl)benzenecarboximidamide;
	3-(4-5-[2-(Hydroxymethyl)-5-methyl-1-pyrrolidinyl]pentyl-3-oxo-
20	3,4-dihydro-2-quinoxalinyl)benzenecarboximidamide;
	3-4-[5-(Diisopropylamino)pentyl]-3-oxo-3,4-dihydro-2-
	quinoxalinylbenzenecarboximidamide;
	3-4-[5-(Diethylamino)pentyl]-3-oxo-3,4-dihydro-2-
	quinoxalinylbenzenecarboximidamide;
25	3-4-[5-(Methylamino)pentyl]-3-oxo-3,4-dihydro-2-
	quinoxalinylbenzenecarboximidamide;
	3-4-[5-(1-Methyl-1 <i>H</i> -imidazol-2-yl)penty]-3-oxo-3,4-dihydro-2-
	quinoxalinylbenzenecarboximidamide;
	3-4-[5-(2,5-Dimethyl-1 <i>H</i> -imidazol-1-yl)pentyl]-3-oxo-3,4-dihydro-
30	2-quinoxalinylbenzenecarboximidamide;
	3-[4-(5-Morpholinopentyl)-3-oxo-3,4-dihydro-2-
	quinoxalinyl]benzenecarboximidamide;

quinoxalinylbenzenecarboximidamide;

34-[5-(3,5-Dimethylmorpholino)pentyl]-3-oxo-3,4-dihydro-2-

	3-[3\Oxo-4-(5-piperazinopentyl)-3,4-dihydro-2-
	quinoxalinyl benzenecarboximidamide;
5	3-4-[5\(2,6-Dimethylpiperazino)pentyl]-3-oxo-3,4-dihydro-2-
	quinoxalinylbenzenecarboximidamide;
	3-3-Oxo4-[5-(1 <i>H</i> -pyrazol-1-yl)pentyl]-3,4-dihydro-2-
	quinoxalinylbenzenecarboximidamide;
	3-[3-Oxo-4-(5-tetrahydro-1 <i>H</i> -pyrazol-1-ylpentyl)-3,4-dihydro-2-
10	quinoxalinyl]benzenecarboximidamide;
	3-4-[5-(2,5-Dimethyltetrahydro-1 <i>H</i> -pyrazol-1-yl)pentyl]-3-oxo-
	3,4-dihydro-2-quinoxalinylbenzenecarboximidamide;
	3-(6-Chloro-4-5-(2R,6S)-2,6-dimethyltetrahydro-1(2H)-
	pyridinyl]pentyl-3-oxo-3,4-dihydro-2-
15	quinoxalinyl)benzenecarboximidamide;
	3-(4-5-[(2R,6S)-2,6-1]) in thyltetrahydro- $1(2H)$ -pyridinyl]pentyl-6-
	fluoro-3-oxo-3,4-dihydro-2-quinoxalinyl)benzenecarboximidamide;
	3-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
	oxo-6-sulfanyl-3,4-dihydro-2-quinoxalinyl)benzenecarboximidamide;
20	3-[4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-6-
	(methylsulfanyl)-3-oxo-3,4-dihydro-2-
	quinoxalinyl]benzenecarboximidamide;
	3-[4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
	oxo-6-(trifluoromethyl)-3,4-dihydro-2-
25	quinoxalinyl]benzenecarboximidamide;
	3-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-6-
	methyl-3-oxo-3,4-dihydro-2-quinoxalinyl)benzenecarboximidamide;
	2-3-[Amino(imino)methyl]phenyl-4-5-[(2R,6S)-2,6-
	dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-0xo-3,4-dihydro-6-
30	quinoxalinecarboxylic acid;
	Methyl 2-3-[amino(imino)methyl]phenyl $4-5-[(2R,6S)-2,6-$
	dimethyltetrahydro- $1(2H)$ -pyridinyl]pentyl-3-oxo $\frac{1}{3}$,4-dihydro-6-
	quinoxalinecarboxylate;

pyridinyl]pentyl-3-oxo-3,4-dihydro-2-

3-(6-Cyano-4-5-[(2R,6S)-2,6-dimethyltetrahydro-1(2H)-

quinoxalinyl)benzenecarboximidamide; 2-3-[Amino(imino)methyl]phenyl-4-5-[(2R,6S)-2,6-5 dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-oxo-3,4-dihydro-6quinoxalinecarboximidamide; 2-3-{Amino(imino)methyl]phenyl-4-5-[(2R,6S)-2,6dimethyltetrahydro-1(2H)-pyridinyl]pentyl-N-hydroxy-3-oxo-3,4-dihydro-6-quinoxalinecarboximidamide: 10 3-4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-6-[hydrazino(imino)methyl]-3-oxo-3,4-dihydro-2quinoxalinylbenzenecarboximidamide; 2-3-[Amino(imino)methyl]phenyl-4-5-[(2R,6S)-2,6dimethyltetrahydro-d(2H)-pyridinyl]pentyl-3-oxo-3,4-dihydro-6-15 quinoxalinecarboxamide; 3-[4-5-[(2R,65)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-6-(hydroxymethyl)-3-oxo-3\4-dihydro-2quinoxalinyl]benzenecarboximidamide; 3-(6-(Aminomethyl)-4-5-[(2R,6S)-2,6-dimethyltetrahydro-1(2H)-4-5-[(2R,6S)-2,6-dimethyltetrahydro-1(R,6S)-2,6-dimethyltetrahy20 pyridinyl]pentyl-3-oxo-3,4-dihydro-2quinoxalinyl)benzenecarboximidamide; 3-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-6nitro-3-oxo-3,4-dihydro-2-quinoxalinyl)benzenecarboximidamide; 3-(4-5-[(2R,6S)-2,6-Dimethyl)tetrahydro-1(2H)-pyridinyl]pentyl-6-25 hydroxy-3-oxo-3,4-dihydro-2-quinoxalinyl)benzenecarboximidamide; 3-(4-5-[(2R,6S)-2,6-Dimethyltetraphydro-1(2H)-pyridinyl]pentyl-6methoxy-3-oxo-3,4-dihydro-2-quinoxalinyl)benzenecarboximidamide; 3-(6-(Benzyloxy)-4-5-[(2R,6S)-2,6-dimethyltetrahydro-1(2H)pyridinyl]pentyl-3-oxo-3,4-dihydro-2-30 quinoxalinyl)benzenecarboximidamide; $2-[(2-3-[Amino(imino)methyl]phenyl-4-5 \ (2R,6S)-2,6$ dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-oxo-3\4-dihydro-6quinoxalinyl)oxylacetic acid;

L
ŭ.
C
đ
≘
Z.
T,

10

15

20

25

30

3-[(2-3-[Amino(imino)methyl]phenyl-4-5-[(2R,6S)-2,6dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-oxo-3,4-dihydro-6quinoxalinyl)oxy]propanoic acid; 4[(2-3-[Amino(imino)methyl]phenyl-4-5-[(2R,6S)-2,6dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-oxo-3,4-dihydro-6quinoxalinyl)oxy]butanoic acid; $2-[(2\sqrt{3}-[Amino(imino)methyl]phenyl-4-5-[(2R,6S)-2,6$ dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-oxo-3,4-dihydro-6quinoxalinyl)amino]acetic acid; 3-[(2-3-[Amino(imino)methyl]phenyl-4-5-[(2R,6S)-2,6dimethyltetrahydro-\(\lambda(2H)\)-pyridinyl]pentyl-3-oxo-3,4-dihydro-6quinoxalinyl)amino]propanoic acid; 4-[(2-3-[Amino(imino)methyl]phenyl-4-5-[(2R,6S)-2,6dimethyltetrahydro-1(21)-pyridinyl]pentyl-3-oxo-3,4-dihydro-6quinoxalinyl)amino]butanoic acid; 3-[4-5-[(2R,6S)-2,6]Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-6-(2-hydroxyethoxy)-3-oxo-3,4-dihydro-2quinoxalinyl]benzenecarboximidamide; 3-[4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3oxo-6-(1H-1,2,3,4-tetraazol-5-ylmethoxy)-3,4-dihydro-2quinoxalinyl]benzenecarboximidamide; 3-(6-Amino-4-5-[(2R,6S)-2,6-dimethyltetrahydro-1(2H)pyridinyl]pentyl-3-oxo-3,4-dihydro-2, quinoxalinyl)benzenecarboximidamide; 3-(6-(Butylamino)-4-5-[(2R,6S)-2,6-dimethyltetrahydro-1(2H)pyridinyl]pentyl-3-oxo-3,4-dihydro-2quinoxalinyl)benzenecarboximidamide; 3-(6-(Dimethylamino)-4-5-[(2R,6S)-2,6-dimethyltetrahydro-1(2H)pyridinyl]pentyl-3-oxo-3,4-dihydro-2quinoxalinyl)benzenecarboximidamide: 3-(6-Anilino-4-5-[(2R,6S)-2,6-dimethyltetrahydro-1(2H)pyridinyl]pentyl-3-oxo-3,4-dihydro-2quinoxalinyl)benzenecarboximidamide:

$\sqrt{3-(6-(Benzylamino)-4-5-[(2R,6S)-2,6-dimethyltetrahydro-1(2H))}$
pyridinyl]pentyl-3-oxo-3,4-dihydro-2-
quinoxalinyl)benzenecarboximidamide;
N-(2-3-[Amino(imino)methyl]phenyl-4-5-[(2R,6S)-2,6-
dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-oxo-3,4-dihydro-6-
quinoxalinyl)acetamide;
N-(2-3-[Amino(imino)methyl]phenyl-4-5-[(2 R ,6 S)-2,6-
dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-oxo-3,4-dihydro-6-
quinoxalinyl)cyclohexanecarboxamide;
N-(2-3-[Amino(imino)methyl]phenyl-4-5-[(2 R ,6 S)-2,6-
dimethyltetrahydro-l(2H)-pyridinyl]pentyl-3-oxo-3,4-dihydro-6-
quinoxalinyl)-2-cyclohexylacetamide;
N-(2-3-[Amino(imino)methyl]phenyl-4-5-[(2 R ,6 S)-2,6-
dimethyltetrahydro-1(2H) pyridinyl]pentyl-3-oxo-3,4-dihydro-6-
quinoxalinyl)benzenecarboxamide;
N-(2-3-[Amino(imino)methyl]phenyl-4-5-[(2R,6S)-2,6-
dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-oxo-3,4-dihydro-6-
quinoxalinyl)-2-phenylacetamide;
3-4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-6
[(methylsulfonyl)amino]-3-oxo-3,4 dihydro-2-
quinoxalinylbenzenecarboximidamide;
3-(6-[(Cyclohexylsulfonyl)amino]-4-5-[(2R,6S)-2,6-
dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-oxo-3,4-dihydro-2-
quinoxalinyl)benzenecarboximidamide;
3-(6-[(Cyclohexylmethyl)sulfonyl]amino-4-5-[(2R,6S)-2,6-
dimethyltetrahydro-1(2 <i>H</i>)-pyridinyl]pentyl-3-oxo-3,4-dihydro-2-
quinoxalinyl)benzenecarboximidamide;
3-4-5-[(2R,6S)-2,6-Dimethyltetrahydro (1(2H)-pyridinyl)]pentyl-3
oxo-6-[(phenylsulfonyl)amino]-3,4-dihydro-2-
quinoxalinylbenzenecarboximidamide; or
3-(6-[(Benzylsulfonyl)amino]-4-5-[(2R,6S)]/2,6-
dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-oxo-3,4-dihydro-2-
quinoxalinyl)benzenecarboximidamide.

```
13.
                         A compound which is:
                                3-(4-5-[(2R,6S)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
                        oxo-3,4-dihydro-2-quinoxalinyl)benzenecarboximidamide;
                               3-(4-5-[(2R)(3)-2,6-Dimethyltetrahydro-1(2H)-pyridinyl]pentyl-3-
          5
                        oxo-3,4-dihydro-2-dunoxalinyl)-N-hydroxybenzenecarboximidamide;
                               3-[3-(Aminomethyl)phenyl]-1-5-[(2R,6S)-2,6-dimethyltetrahydro-
                        1(2H)-pyridinyl]pentyl-2(1H)-quinoxalinone; or
                               3-(4-5-[(2R,6S)-2,6-Dimeth)]tetrahydro-1(2H)-pyridinyl]pentyl-3-
                        oxo-3,4-dihydro-2-quinoxalinyl)-4-hydroxybenzenecarboximidamide.
10
                 14.
                        A compound which is:
                        7-Chloro-1-(3-dimethylamino-propyl)-3-phenyl-1H-quinoxalin-2-one;
                        7-Chloro-1-(3-dimethylamino-propyl)-3-phenyl-1H-quinoxalin-2-one;
                        3-(4-Chloro-phenyl)-7-methoxy-1-(4-methoxy-phenyl)-1H-
                 quinoxalin-2-one;
                        2(1H)-Quinoxalinone, 7-methoxy-1,3-bis(p-methoxyphenyl);
                        3-(3-Chloro-phenyl)-7-methoxy-1-(4-methoxy-phenyl)-1H-quinoxalin-2-
                 one;
                       3-(4-Fluoro-phenyl)-7-methoxy-1-(4-methoxy-phenyl)-1H-quinoxalin-2-
                 one;
       20
                       3-(3,4-Dichloro-phenyl)\7-methoxy-1-(4-methoxy-phenyl)-1H-quinoxalin-
                2-one;
                       1-(2-Diethylamino-ethyl)-4-0xy-3-phenyl-1H-quinoxalin-2-one;
                       1-(2-Diethylamino-ethyl)-4-oxy\3-phenyl-1H-quinoxalin-2-one;
                       3-(2-Chloro-phenyl)-7-methoxy-l\(4-methoxy-phenyl)-1H-quinoxalin-2-
       25
                one;
                       3-(4-Bromo-phenyl)-7-methoxy-1-(4-methoxy-phenyl)-1H-quinoxalin-2-
                one;
                       2(1H)-Quinoxalinone, 7-methoxy-1-(p-methoxyphenyl)-3-phenyl;
                       7-Methoxy-1-(4-methoxy-phenyl)-3-(4-triflupromethyl-phenyl)-1H-
       30
                quinoxalin-2-one;
                       2(1H)-Quinoxalinone, 1-methyl-3-phenyl-, 4-oxide;
```

- A method according to Claim 16, wherein said disorder is pulmonary embolism.
- 20. A method according to Claim 16, wherein said disorder is myocardial infarction.
- 5 21. A method according to Claim 16, wherein said disorder is cerebral infarction.
 - 22. A method according to Claim 16, wherein said disorder is restenosis.
 - 23. A method according to Claim 16, wherein said disorder is cancer.
 - 24. A method according to Claim 16, wherein said disorder is angina.
- 10 25. A method according to Claim 16, wherein said disorder is diabetes.
 - 26. A method according to Claim 16, wherein said disorder is heart failure.
 - 27. A method according to Claim 16, wherein said disorder is atrial fibrillation.
- 28. A pharmaceutical formulation comprising a compound of Claim 1 admixed with a carrier, diluent, or excipient.
 - 29. A pharmaceutical formulation comprising a compound of Claim 2 together with a carrier, diluent, or excipient.
 - 30. A pharmaceutical formulation comprising a compound of Claim 12 together with a carrier, diluent, or excipient.
- 20 31. A method for inhibiting serine proteases comprising administering to a mammal an effective amount of serine protease inhibitor of Claim 1.

32. A method according to Claim 31, wherein said serine protease is factor Xa.